

Port Authority of New South Wales

Berths and Channels

Changes to this edition include:

Kurnell Berths 1-3 and Approaches



19 February 2026



Port Authority of New South Wales

Temporary depth changes

Brotherson Dock Channel ~ 14.0m Hayes Berth 1 ~ 13.6m

Brotherson Dock Berth 5 ~ 15.7m Hayes Berth 2 ~ 14.2m

Brotherson Dock Berth 6 ~ 15.2m

Brotherson Dock Berth 7 ~ 13.7m

Brotherson Dock Berth 8 ~ 13.5m

Brotherson Dock Berth 9 ~ 13.5m

Brotherson Dock Berth 10 ~ 13.9m

Brotherson Dock Berth 11~ 13.9m

Brotherson Dock Berth 12~ 14.2m

Note: Depths listed above as temporary replace promulgated depths in tables below

19 February 2026

Table of Contents

1	Sydney Harbour	5
	ENTRANCE CHANNEL	5
	MAIN CHANNEL	7
	SYDNEY COVE	9
	DARLING HARBOUR	10
	JOHNSTONS BAY	10
	WHITE BAY	11
	WHITE BAY	12
	GARDEN ISLAND	13
	GORE COVE & BALLS HEAD & APPROACHES	14
2	Botany Bay	15
	BOTANY BAY	15
	HAYES DOCK	16
	BROTHERSON DOCK (North Quay)	17
	BROTHERSON DOCK (South Quay)	18
	BULK LIQUIDS BERTHS	19
	KURNELL	19
3	Eden	21
	TWO-FOLD BAY	21
4	Port Kembla	23
	OUTER HARBOUR	23
	THE CUT	25
	INNER HARBOUR	25
	INNER HARBOUR	26
	INNER HARBOUR	28
5	Yamba	29
	CHANNEL	29
6	Trial Bay	32

	BAY	32
7	Batemans Bay	32
	BAY	32
8	Coffs Harbour	32
	BAY	32
9	Jervis Bay	33
	BAY	33
10	Kiama	33
	BAY	33
11	Broken Bay	33
	BAY	33

1 Sydney Harbour

Code	Berth / Channel	Depth of Berth/Channel (m Chart Datum)	Size of Berth	Start/End Berth Box	Stringer Height	Survey Date	Plan Number	Remarks
	ENTRANCE CHANNEL							
SOU	The Sound	13.7m				18/06/2025	SSOU 009-A	
SW	Middle Head to Georges Head	13.7m				04/12/2025	SEN1 031-A	<p>Depths <13.7m extend up to 10m into the shipping corridor near Georges Head starboard pile between:</p> <ul style="list-style-type: none"> - 95m & 55 degrees from the Starboard pile - 170m & 210 degrees from starboard pile <p>Depths < 13.7m extend up to 23m into the eastern side of the shipping corridor, extending from the sea buoy to 300m SW of the port marker adjacent to Sow and pigs reef</p>
SW	Georges Head to Chowder Head	13.7m				27/06/2025	SEN2 020-A	
CBOFI	Chowder Bay Tanker Berth and Approaches	11.8m	172 x 35m			27/06/2025	SCB1 021-A	<p>11.8m soundings on faceline</p> <ul style="list-style-type: none"> - Channel approaches to Chowder Bay Oil Berth (refer SEN2 020-A)
SW	Chowder Head to Bradleys Head	13.7m				27/06/2025	SEN2 020-A SEN4 017-A	<p>Depths <13.7m remain @ 600m east of the Bradleys Head East Cardinal Mark along Eastern Boundary</p> <p>13.7m depths exist ~ 600m and 110 deg from East Cardinal Mark</p>

								13.7m ~ 605m and 101 deg from East Cardinal Mark. 13.7m depths ~ 620m and 94 deg from East cardinal mark Depths <13.7m extend 40m into the corridor 280m ENE from the Bradleys Head light
SE	Lady Bay to East Channel Pile	10.5m	East channel 180m wide			25/06/2024	SENA 013-A	Depths <10.5m east of channel, 80m SW of Lady Bay Buoy Depths < 10.5m encroach 30m into channel west of Laings point
SE	Eastern Channel and Deviation Cut	10.5m (East Channel) 6.1m (Deviation Cut)				25/06/2024	SEN2 019-A SEN3 011-A SEN4 016-A	- Depths less than 10.5m exist 10m into channel around Shark Bay special mark - Depths < 6.1m encroach 12m into channel from northern boundary
B1 B2 T1 W1	Entrance Channel, including Anchorages	14.0m (Bank Anchorage 1) 13.5m (Bank Anchorage 2) 12.7m (Triangle Anchorage) 10.8m (Watsons Bay Anchorage)	300m 450m 250m 310m			25/06/2024 25/06/2024 25/06/2024 25/06/2024	SENA 013-A	B1 ~ 33-50.8085 S 151-15.6484 E B2 ~ 33-50.7239 S 151-15.5722 E T1 ~ 33-50.6548 S 151-15.9246 E W1 ~ 33-50.6735 S 151-16.4702 E 12.7m sounding in SE cnr of Triangle anchorage

Code	Berth / Channel	Depth of Berth / Channel (mLAT)	Size of Berth	Start/End Berth Box	Stringer Height	Survey Date	Plan Number	Remarks
	MAIN CHANNEL							
	Point Piper to Garden Island	13.7m (mid channel)				10/10/2024	SMC1 011-A	- Depths <13.7m 255m S of Point Piper #1 Buoy, extending S to the edge of the shipping corridor.
SA SA1	Bradleys Head to Kirribilli	13.7m (mid channel) 13.4m (south of Fort Denison)				08/08/2025	SMC2 017-A	- Depths < 13.7m E of Fort Denison extending up to 560m E of shipping corridor - Depths <13.4m along the shipping corridor boundary in the vicinity of the Garden Island port lateral marker. Max encroachment 12m.
SB	Kirribilli to Pier One	13.7m (mid channel)				08/08/2025	SMC3 021-A	- Depths <13.7m along the shipping corridor boundary in the vicinity of Kirribilli Starboard lateral pile - Depths <13.7m along northern shipping corridor boundary between blues Pt and Harbour bridge. Max encroachment 55m - Depths <13.7m within the SCPT swing basin on north edge - 13.6m Depth 25m S of the Goat Island lead at entrance to Sydney Cove.

SC SD	Pier One to Balls Head	13.7m (mid Channel)				17/11/2025	SMC4 018-A	<ul style="list-style-type: none"> - Depths < 13.7m occur up to 400m West of the Harbour Bridge, encroaching 40m into the Northern side of the corridor. - Channel limit - Walsh Bay No. 7 to NE corner of Goat Island. - Depths <13.7m encroach 7m into the corridor 30m South of Blues Pt - 13.6m Sounding on Corridor boundary 35m West of Goat Island Port Lateral mark - Depths <13.7m encroach 14m inside corridor south of Balls Head - 13.6m sounding on channel boundary north of Snail Bay 3 berth.
PTP1A	Point Piper anchorage	11.4m (for 350m radius) 13.0m (for 300m radius) 14.5m (for 250m radius) 16.0m (for 200m radius)				10/10/2024	SPPA 005-A	33-51.6492 S 151-14.8297 E
ATH4A	Athol Bay anchorage	11.6m (for 500m radius)				08/08/2025	SMC2 017-A	33-51.1165 S 151-14.2313 E Depths < 11.6m encroach 5m into anchorage on nth west edge near Robertsons Point
WB	Woolloomooloo Bay	10.2m				7/2/2023	SWLB 009-A	<ul style="list-style-type: none"> - Depths <10.2m exist (Refer to chart)

Code	Berth / Channel	Depth of Berth / Channel (m Chart Datum)	Size of Berth	Start/End Berth Box	Stringer Height	Survey Date	Plan Number	Remarks
	SYDNEY COVE							
SCA	Sydney Cove – approaches to Overseas Passenger Terminal	10.9m				28/08/2025	SSC 038-A	Depths <10.9m exist within the Shipping corridor, in the vicinity of Dawes Point Beacon, the southern and the eastern sides of Sydney Cove.
SCPT	Overseas Passenger Terminal	10.1m	375 x 50	CH-35 to CH340	3.1m	28/08/2025	SSC OPT 039-A	<p>Fenders: Cone fenders with steel and Teflon panels 2250mm wide x 1600mm deep.</p> <p>Bollards: 60, 120 & 150 Tonne SWL</p> <p>Line of berth: 009° - 189°</p> <p>Fresh water connections: 61m, 107m, 154m and 201m.</p> <p>Grey water connections: 45m</p> <p>Gangway operating limits: CR gangway: 75m to 180m PE gangway: 100m to 205m</p> <p>Depths <10.1m exist in northwest corner of berth box</p>

Code	Berth / Channel	Depth of Berth / Channel (m Chart Datum)	Size of Berth	Start/End Berth Box	Stringer Height	Survey Date	Plan Number	Remarks
	DARLING HARBOUR							
DH	Darling Harbour (channel)	12.0m				13/11/2025	SDH 026-A	<ul style="list-style-type: none"> - Depths <12m extending 26m off Eastern shipping corridor (150m SW of Millers Point light) - Depths < 12.0m 43m off Western shipping corridor from eastern cnr of Jones Bay Wharf to eastern cnr off Darling island wharf - Depths < 12m sth of peacock point on NW edge of swing basin. Max encroachment 9m - Barangaroo ferry wharves and piles extend 20m into the channel - Depths < 12m exist 25m into shipping corridor on eastern edge 0-150m north of Barangaroo ferry wharf
	Pymont 7	Undeclared				9/12/2015		New survey required prior to berth occupation

Code	Berth / Channel	Depth of Berth / Channel (m Chart Datum)	Size of Berth	Start/End Berth Box	Stringer Height	Survey Date	Plan Number	Remarks
	JOHNSTONS BAY							
JB	Johnston's Bay (channel)	11.9m				4/04/2025	SWBJB 025A	<ul style="list-style-type: none"> - Users should be aware that depths less than 12.0m exist in Johnstons Bay. - See survey chart for details - Object adjacent to CH267, approx. 130m off fenderline

GLB1	1 Glebe Island	12.0m	232 x 35	001 – 233	2.9m	4/04/2025	SGI1 019A	11.9m in centre of channel on approach adjacent to CH 110m
GLB2	2 Glebe Island	12.0m	234 x 35	234 – 468	2.9m	4/04/2025	SGI2 019A	Bollard @ CH460 60T bollard pull.

Code	Berth / Channel	Depth of Berth / Channel (m Chart Datum)	Size of Berth	Start/End Berth Box	Stringer Height	Survey Date	Plan Number	Remarks
	WHITE BAY							
WC	White Bay (channel)	12.0m				27/10/2025	SWBJB 026A	Users should be aware that depths less than 12.0m exist in White Bay channel. See survey chart for details
GLB7	7 Glebe Island	10.6m	283 x 35	Continuous	4.1m	04/04/2025	SGI7 012-A	GRA's Gypsum Hoppers Hopper 1 CH302 - 307 Hopper 2 CH278 - 283 Hopper 3 CH247 - 253 Sugar Australia's conveyor belt CH237 – 240 Depths < 10.6m in south eastern cnr of berth box

Code	Berth / Channel	Depth of Berth / Channel (m Chart Datum)	Size of Berth	Start/End Berth Box	Stringer Height	Survey Date	Plan Number	Remarks
	WHITE BAY							
GLB8	8 Glebe Island	9.4m	175 x 35 CH15- CH190	Continuous	4.1m	27/10/2025	SGI8 012-A	Cement Australia's unloading arms / hoses CH100 – 106 Users should refer to survey chart for detailed contours particularly at the SW corner.
WHT2	2 White Bay	8.7m	141 x 35	Continuous	3.1m	27/05/2024	SGI7 009-A	Berth to be surveyed prior to end of leases and/or before the arrival of the first ship after the entire berth is vacated.
WHT3	3 White Bay	10.9m	260 x 35	Continuous	3.0m	04/04/2025	SWBJB3 016A	Depths of 10.2m between Ch 375 – Ch410
WHT4	4 White Bay	11.1m	260 x 35		3.0m	27/10/2025	SWBJB4 023A	Shoaling along eastern edge if the box. Min depth 11.0m, depths < 11.1m encroach 2m into the berth.
WHT5	White Bay Cruise Terminal	10.9m	333 x 35	0 - 333	3.0m	27/10/2025	SWBJB5 030A	CH259 – CH333 (Bailey's licence area) is available for mooring lines for ships berthed at WHT5. Fenders: dual rubber cylindrical 0.5m OD x 0.25m ID x 1.67m long, chained to space evenly along the length of the berth. Bollards: 60 Tonne SWL Line of berth: 087° - 267° Fresh water connections: 12m, 57m, 120m, 164m and 225m. Grey water connections: 60m and 216m Gangway operating limits: Western gangway 116m to 176m Eastern gangway 156m to 216m

Code	Berth / Channel	Depth of Berth / Channel (m Chart Datum)	Size of Berth	Start/End Berth Box	Stringer Height	Survey Date	Plan Number	Remarks
	GARDEN ISLAND							
FBE2	Fleet Base East 2	7.5m	150m x 35m			21/5/2025	SWLB 010-A	Naval Berth
FBE3	Fleet Base East 3	9.1m	160m x 35m			7/2/2023	SWLB 010-A	Naval Berth
FBE4	Fleet Base East 4	8.5m	140m x 35m			7/2/2023	SWLB 010-A	Naval Berth
FBE5	Fleet Base East 5	8.0m	150m x 35m			7/2/2023	SWLB 010-A	Naval Berth
FBE6	Fleet Base East 6	11.5m	122m x 35m			7/2/2023	SWLB 010-A	Naval Berth
FBE7	Fleet Base East 7	11.0m	123m x 35m			7/2/2023	SWLB 010-A	Naval Berth
FBE8	Fleet Base East 8	11.1m	165m x 35m			21/5/2025	SWLB 010-A	Naval Berth
FBE9	Fleet Base East 9	7.9m	187m x 35m			13/12/2023	SWLB 010-A	Naval Berth
FBE10	Fleet Base East 10	8.2m	80m x 35m			3/5/2023	SWLB 010-A	Naval Berth
FBE11	Fleet Base East 11	10.5m	122m x 35m			18/03/2024	SWLB 010-A	Naval Berth
FBE12	Fleet Base East 12	10.9m	123m x 35m			18/03/2024	SWLB 010-A	Naval Berth
FBE13	Fleet Base East 13	11.1m	123m x 35m			18/03/2024	SWLB 010-A	Naval Berth

Code	Berth / Channel	Depth of Berth / Channel (m Chart Datum)	Size of Berth	Start/End Berth Box	Stringer Height	Survey Date	Plan Number	Remarks
	GORE COVE & BALLS HEAD &							
GB	Main Channel Balls Head to Manns Point	13.7m (Balls Head to ex Coal Jetty)				17/11/2025	SGC 034-A	Depths <13.7m extend 100m into the corridor SW of coal jetty Depths <13.7m encroach 15m into the channel @ Balls Head starboard pile Depths <13.7m sth of Manns point encroaching 25m into the corridor
GC	Gore Cove Berth Approaches	13.3m (ex Coal Jetty to Mann's Point)				17/11/2025	SGC 034-A	Depths <13.3m on eastern edge of the approach channel, encroaching up to 65m inside the channel extent.
GOR1	1 Gore Cove	13.3m	320 x 55		4.45m	17/11/2025	SGC1 038-A	Depths < 13.3m in NW cnr of berth box
GOR2	2 Gore Cove	9.0m	190 x 30		2.95m	17/11/2025	SGC2 022-A	Depths < 9.0m exist in SW cnr of berth box
SNL1	Snails Bay 1	Undeclared	215m x 35m			11/04/2017	SGC 023-A	Survey required prior to vessel using berth
SNL2	Snails Bay 2	Undeclared	215m x 35m			11/04/2017	SGC 023-A	Survey required prior to vessel using berth
SNL3	Snails Bay 3	Undeclared	215m x 35m			11/04/2017	SGC 023-A	Survey required prior to vessel using berth
SNL4	Snails Bay 4	Undeclared	215m x 35m			11/04/2017	SGC 023-A	Survey required prior to vessel using berth
WAHEN	HMAS Waterhen Berth	4.5m	140m x 20m			21/05/2025	SGC 033-A	

2 Botany Bay

Code	Berth / Channel	Depth of Berth / Channel (m Chart Datum)	Size of Berth	Start/End Berth Box	Stringer Height	Survey Date	Plan Number	Remarks
	BOTANY BAY							
BE	Entrance Channel – Offshore inc Botany shoal area	15.8m				21/07/2025	BMC1 021-A	
BEM	DUKC Entrance to Molineux Point (200m wide)	15.8m				21/07/2025	BMC2 021-A	DUKC defined channel (New Leads)
YARRA	Yarra Bay	15.8m	250m radius			21/07/2025	BYB 004- A	Emergency holding area
BS	Port Botany Swinging Basin	16.1m				25/02/2025	BSWB 021-A	425m Radius ~ 16.1m 410m Radius ~ 16.4m
BK	Kurnell 1 and 3 Approaches	12.7m				30/01/2026	BKSB 036A-2	Depths <12.7m, approx.40m East (12.1m), approx. 40m Sth East (12.1m) and 70m East (12.7m) of No.1 buoy. (Mooring block and chain) Depths 11.5m exist along the Diesel pipeline route south of Berth 3. This area lies outside of the DUKC approach Depths <12.7m exist along the SE edge of the Kurnell No.1 DUKC approach

								Depths < 12.7 exist within the Kurnell No.3 DUKC approach to the north of the berth box
K12	Kurnell 2 Approach	12.0m				30/01/2026	BKSB 036A-1	Depths < 12.0m exist within the Kurnell No.2 DUKC approach to the west of the berth box Depths < 12.0m exist along the southern edge of the Kurnell No.2 DUKC approach, in the vicinity of BOT-006A
Code	Berth / Channel	Depth of Berth / Channel (m Chart Datum)	Size of Berth	Start/End Berth Box	Stringer Height	Survey Date	Plan Number	Remarks
	HAYES DOCK							
	Hayes Dock (channel)	16.1m				03/09/2025	BHD 018-A	
HD1	No. 1 Berth	<i>14.1m</i>	<i>350x50</i>	<i>00 – 350</i>	<i>4.0m</i>	<i>03/09/2025</i>	<i>BHD1 016-A</i>	
HD2	No. 2 Berth	<i>14.7m</i>	<i>300x50</i>	<i>350 – 650</i>	<i>4.0m</i>	<i>03/09/2025</i>	<i>BHD2 016-A</i>	

HD3	No. 3 Berth	16.3m	300x50	650 – 950	4.0m	25/02/2025	BHD3 011-A	
HD4	No. 4 Berth	16.1m	350x50	950 - 1300	4.0m	25/02/2025	BHD4 011-A	
	Tug Berth	N/A			4.0m	14/06/2024	BHDT 013-A	

Code	Berth / Channel	Depth of Berth / Channel (m Chart Datum)	Size of Berth	Start/End Berth Box	Stringer Height	Survey Date	Plan Number	Remarks
------	-----------------	---	------------------	------------------------	--------------------	----------------	-------------	---------

Code	Berth / Channel	Depth of Berth / Channel (m Chart Datum)	Size of Berth	Start/End Berth Box	Stringer Height	Survey Date	Plan Number	Remarks
	BROTHERSON DOCK (North Quay)							
	<i>Brotherson Dock (channel)</i>	<i>14.5m</i>				<i>09/09/2025</i>	<i>BBD 036-A</i>	<i>5m encroachment from eastern boundary, north of BD10</i>
BD5	No. 5 Berth	16.2m	156x50			18/03/2024	BBD5 015-A	

BD6	No. 6 Berth	15.7m	400x50			09/09/2025	BBD6 024-A	
BD7	No. 7 Berth	14.2m	344x50	556 – 900	3.6m	23/12/2025	BBD7 030-A	
BD8	No. 8 Berth	14.0m	300x50	900 – 1200	3.6m	23/12/2025	BBD8 030-A	
BD9	No. 9 Berth	14.0m	330x50	1200 – 1530	3.6m	23/12/2025	BBD9-030-A	
Code	Berth / Channel	Depth of Berth / Channel (m Chart Datum)	Size of Berth	Start/End Berth Box	Stringer Height	Survey Date	Plan Number	Remarks
	BROTHERSON DOCK (South Quay)							
BD10	No. 10 Berth	13.5m	400x50	030 – 430	3.6m	23/12/2025	BBD10E 005-A	No ships to be berthed between 0m – 30m.
BD11	No. 11 Berth	13.5m	100x50	430 – 530	3.6m	23/12/2025	BBD10E 005-A	
BD12	No. 12 Berth	14.1m	407x50	530 – 937	3.6m	23/12/2025	BBD12E 005-A	
STB	Tug Berth	N/A				11/07/2023	BBDE 012-A	East of CH1710 depths <5m East of CH1670 depths <6m

Code	Berth / Channel	Depth of Berth / Channel (m Chart Datum)	Size of Berth	Start/End Berth Box	Stringer Height	Survey Date	Plan Number	Remarks
	BULK LIQUIDS BERTHS							
BLB1	Bulk Liquids Berth 1	18.3m	320 x 55		3.4m	25/02/2025	BBLB1 013-A	T-Head jetty <ul style="list-style-type: none"> - Depths <18.3m for 35m north of Northern Dolphin - Max 75,000DWT - Normal Bookings. - Max 90,000DWT – On application. - Max displacement 120,000T - Max LOA 230m - normal bookings - Max LOA 250m - on application
BLB2	Bulk Liquids Berth 2	19.3m	320 x 55		4.6m	25/02/2025	BBLB2 009-A	T-Head jetty <ul style="list-style-type: none"> - Max 120,000DWT - Max displacement 150,000T - Max LOA 270m
	Fishburn Rd Tug Berth	N/A				11/03/2015	BGFT 007-A	

Code	Berth / Channel	Depth of Berth / Channel (m Chart Datum)	Size of Berth	Start/End Berth Box	Stringer Height	Survey Date	Plan Number	Remarks
	KURNELL							
KUR1	No 1 Berth	12.5m	295 x 75		6.0m	30/01/2026	BKSB1 027-A	Depths of 12.3m exist at the southwest corner of the berth box. Max encroachment 2.7m Min depth along fender faceline is 12.4m
KUR2	No 2 Berth	11.8m	305 x 75		6.0m	30/01/2026	BKSB2 026-A	Min depth 11.8m along fender face Min depth 11.3 in the SE cnr of berth box. Max encroachment 2.2m

KUR3	No 3 Berth (Buoy Moorings)	14.0m	305 x variable width		N/A	30/01/2026	BKSB3 034-A	<p>Depths <14m exist at SW corner of berth box, up to 16m from the SW cnr into box</p> <p>Depths <14m exist along the southern edge of the berth box. Encroaches up to 14m on eastern side of pipelines</p> <p>Depths < 14.0m exist in the NW cnr of berth box, up to 19m from the NW cnr into the box</p>
------	----------------------------	--------------	----------------------	--	-----	------------	-------------	---

3 Eden

Code	Berth / Channel	Depth of Berth/Channel	Size of Berth	Start/End Berth Box	Stringer Height	Survey Date	Plan Number	Remarks
	TWO-FOLD BAY							
EDGEN	Eden Breakwater Wharf	4.2m	90m x 20m			22/08/2025	EDEN13 007A	
EDG1	Eden Breakwater 1	4.2m	45m x20m			22/08/2025	EDEN13 007A	
EDG2	Eden Breakwater 2	6.6m	45m x 20m			22/08/2025	EDEN13 007A	
EDIA	Eden Inner Anchorage	12.0m	500m radius			22/08/2025	EDEN INNER 008 -A	
EDOA	Eden Outer Anchorage	20.4m	0.25NM			29/3-4/4/2023	EDEN OUTER 004-A	
EDWCP	Eden Woodchip Wharf	12.7m	360m x 50m			22/08/2025	EDEN3 013-A	
EDNAV	Eden Multipurpose berth	11.1m	185m x35m			22/08/2025	EDEN4 013-A	
EBSB	East Boyd Bay Swing Basin	10.9m	200m radius			22/08/2025	EDEN4 013-A	

EDCW	Eden Cruise Wharf	10.3m	340m x 50m			22/08/2025	EDEN13 007-A	
EDCWX	Eden Cruise Wharf Extension	10.5m	103m x 20m			22/08/2025	EDEN13 007-A	
EDCW3	Eden Cruise Wharf Extension 3	10.6m	51.5m x 20m			22/08/2025	EDEN13 007-A	
EDCW4	Eden Cruise Wharf Extension 4	10.5m	51.5m x 20m			22/08/2025	EDEN13 007-A	
EDNBA	Eden Nullica Bay Anchorage	5.8m	0.25NM			22/08/2025	ENBA 003-A	

4 Port Kembla

Code	Berth / Channel	Depth of Berth/Channel (m Chart Datum)	Size of Berth	Start/End Berth Box	Stringer Height	Survey Date	Plan Number	Remarks
	OUTER HARBOUR							
OHA	Outer Harbour Approach	16.5m				16/10/2025	PKBOuter 015A	Note depths < 16.5m exist around breakwalls. Depths < 16.5m encroach up to 35m into channel
OA6	Offshore Anchorage #6	36.0m	0.75NM radius			18/10/2022-16/11/2022	PKOA6 001-A	
OHC	Outer Harbour	15.4m				16/10/2025	PKBOuter 015A	Depths < 15.4m exist up to 23m from Southern Boundary" & "8m from Eastern Boundary" into channel
201	Berth 201	11.1m	260 x 50m			16/10/2025	PKB201 015A	Depths < 11.1m exist in NW cnr of berth box. Depths <11.1m exist on fenderline with <1m encroachment
202	Berth 202	10.6m	215 x 35m	Ch10 CH225		16/10/2025	PKB202-203 015A	Depths < 10.6m exist up to 3m from western edge into berth box. Depths < 10.6m on fender faceline
203	Berth 203	10.1m	225 x 35m	CH10 CH235		16/10/2025	Berth 202-203 - 015A	Depths < 10.1m exist on fender line Depths < 10.1m exist in SW and NW cnr of berth box. 10.0m SHOAL on edge of centre of berth box

204	Berth 204	5.0m	85 x 35m	CH225 CH310		16/10/2025	Berth 204-205 - 015A	Depths < 5.0m encroach 7m in SW cnr of the berth box
205	Berth 205	5.8m	75 x 35m	CH235 CH310		16/10/2025	PKB204-205 015A	Depths < 5.8m exist in SW and NW corners of berth box. 2m encroachment NW cnr and 10m SW cnr
206	Berth 206	11.1m	220 x 50m			16/10/2025	PKB206 015A	
201B	201 Basin	11.0m				16/10/2025	PKBOuter 015A	Depths < 11.0m on the eastern and western edges of the 201 basin. 3.5m encroachment from Eastern edge 8.5m from western
202B	202 Basin	10.6m				16/10/2025	PKBOuter 015A	Note depths <10.6m exist on eastern end of wharf. Depths < 10.6 exist along the northern fairway boundary, maximum encroachment <1m
203B	203 Basin	10.0m				16/10/2025	PKBOuter 015A	Note depths < 10.0m exist on eastern end of the wharf Depths < 10.0 exist along the southern fairway boundary, maximum encroachment <5m
206B	206 Basin	11.4m				16/10/2025	PKBOuter 015A	Depths < 11.4m exist on eastern and southwestern extremities of basin. 25m encroachment from SW, 8m from eastern edge

Code	Berth / Channel	Depth of Berth / Channel (m Chart Datum)	Size of Berth	Start/End Berth Box	Stringer Height	Survey Date	Plan Number	Remarks
	THE CUT							
CUT	The Cut	15.2m				16/10/2025	PKBCut 015-A	Note soundings <15.2m entering channel <ul style="list-style-type: none"> - a minimum of 60m to north of Inner Harbour lead. - a minimum of 40m to the south of the Inner Harbour lead - See survey chart for details

Code	Berth / Channel	Depth of Berth / Channel (m Chart Datum)	Size of Berth	Start/End Berth Box	Stringer Height	Survey Date	Plan Number	Remarks
	INNER HARBOUR							
IHC	Inner Harbour	15.2m				16/10/2025	PKBInner 015-A	Depths < 15.2m exist on approaches to berths 112, 113 and 101, 102. Depths <15.2m exist south and east of B105 Obstn <15.2m identified and subsequently not found by divers are maintained in dataset
IHSB	Inner Harbour Swing Basin	15.2 m	230m radius			16/10/2025	PKBInner 015-A	Obstructions < 15.2m identified in survey and subsequently not found by divers are maintained in dataset

IHWB	Western Basin	11.0 m				16/10/2025	PKBInner 015-A	Depths <11.0m encroach up to 40m into basin from SW basin Boundary. Depths < 11.0m encroach 10m from North Boundary of Western Basin
IHSWB	South-Western Basin	7.0m				16/10/2025	PKBInner 015-A	Depths < 7.0m encroach up to 24m into basin from Western edge.
IHEB	Eastern Basin	15.2 m				16/10/2025	PKBInner 015-A	Depths < 15.2m encroach 2m into basin from Northern boundary. Depths <15.2m encroach max 10m into basin in NW & NE cnrs
IHNEB	North-Eastern Basin	14.3m				16/05/2025	PKBInner 015-A	Depths <14.3m exist <1m into basin in SE corner

Code	Berth / Channel	Depth of Berth / Channel (m Chart Datum)	Size of Berth	Start/End Berth Box	Stringer Height	Survey Date	Plan Number	Remarks
	INNER HARBOUR							
101	Berth 101	13.1 m	300m x 100m	CH37 CH337		16/10/2025	PKB101 010-A	Depths < 13.1m exist 2m into berth box from NE cnr
102	Berth 102	16.0 m	300m x 50m	CH 0 CH300		16/10/2025	PKB102 015-A	

103	Berth 103	14.3 m	250m x 50m	CH 10 CH260		16/10/2025	PKB103 015-A	Depths < 14.3m exist 1.5m from NE cnr of berth box
104	Berth 104	15.9 m	350m x 50m	CH - 27 CH 324		16/10/2025	PKB104 015-A	Depths <15.9m along fender faceline < 0.5m encroachment
105	Berth 105	15.0 m	250m x 50m	CH -75 CH 175		16/10/2025	PKB105-106 015-A	Depths <15.0m encroach a max 1m into berth box
106	Berth 106	14.2 m	240m x 50m	CH 175 CH415		16/10/2025	PKB105-106 015-A	Depths < 14.1m exist along fender faceline. Max encroachment 1.0m
107	Berth 107	12.1m	280m x 50m	CH 10 CH 290		16/10/2025	PKB107 015-A	

Code	Berth / Channel	Depth of Berth / Channel (m Chart Datum)	Size of Berth	Start/End Berth Box	Stringer Height	Survey Date	Plan Number	Remarks
109	Berth 109	12.1 m	260m x 35m	CH 0 CH260		16/10/2025	PKB109 015-A	Depths < 12.1m exist along fenderline. Encroachment < 1.2m Depths < 12.1m exist in SW and NW corners. 2.5m encroachment off fenderline in each corner.
INNER HARBOUR								
110	Berth 110	6.8 m	145m x 35m	CH 70 CH215		16/10/2025	PKB110 015-A	Depths < 6.8m occur 4.0m into berth box from SW cnr
111	Berth 111	15.4 m	314.5m x 50m	CH 475 CH 789.5		16/10/2025	PKB111 015-A	
112	Berth 112	13.0 m	275m x 50m	CH 200 CH475		16/10/2025	PKB112 015-A	Depths < 13.0m along fender line up to 1.5m into box
113	Berth 113	Not declared	190m x 50m	CH 10 CH 200				Survey to be undertaken following construction works and prior to first ship
ABORT	Abort Route	17.0 m				5-15/05/2025		

5 Yamba

Code	Berth / Channel	Depth of Berth/Channel (m Chart Datum)	Size of Berth	Start/End Berth Box	Stringer Height	Survey Date	Plan Number	Remarks
	CHANNEL							
YBEC	Entrance Channel	4.7m				10/11/2025	YCR4 017-A	
YBRC	Reef Channel	4.1m				10/11/2025	YCR4 017-A	
YBLC	Lighthouse Channel	4.4m				10/11/2025	YCR4 017-A	
YBLD	Lighthouse Deepwater channel	4.6m				10/11/2025	YCR4 017-A	Deepwater passage for ships. Refer to chart YCR4 017-A for deep water channel extents.
YBMC	Middle Channel	4.2m				10/11/2025	YCR4 017-A	Channel extents shown on chart
YBIC	Iluka Channel	4.3m				10/11/2025	YCR3 017-A	
YBCC	Collis Channel	4.6m				10/11/2025	YCR3 017-A	
YBGC	Goodwood Channel	4.0m				10/11/2025	YCR3 017-A	53m wide exclusion zone south of East goodwood Channel leads extending from 100m inside anchorage to 315m east of anchorage

YBTC	Transition Channel	3.2m				10/11/2025	YCR3 017-A	
YBTD	Transition Deepwater Channel	3.4m				10/11/2025	YCR2 017-A	Deepwater passage, refer to chart YCR2 017-A for channel extent
YBPC	Palmers Channel	3.0m				10/11/2025	YCR1 017-A	3.0m in vicinity of Palmers Jetty
YBHC	Harwood Channel	3.0m				09/09/2024	YCR1 016-A	Min depth 3.0m at southern channel limit where channel meets Harwood bridge
YANCH	Iluka Anchorage	5.3m				10/11/2025	YCR3 017-A	
EAYAM	Goodwood Island Reach Anchorage	3.8m				10/11/2025	YCR3 017-A	
YAMBA	Goodwood Island Wharf	5.8m				10/11/2025	YCR3 017-A	
PIACH	Palmers Island Anchorage	4.9m				10/11/2025	YCR2 017-A	
HSLWH	Harwood Slipway East	4.5m				09/09/2024	YCR1 016-A	

Code	Berth / Channel	Depth of Berth/Channel (m Chart Datum)	Size of Berth	Start/End Berth Box	Stringer Height	Survey Date	Plan Number	Remarks
HSLWW	Harwood Slipway West	2.6m				09/09/2024	YCR1 015-A	4.4m depth if berthed west of pile 3 3.1m depth along full length of berth when 1.5m exclusion zone formed by Yokahama fenders
HARSL	Harwood Slip	Not declared						

6 Trial Bay

Code	Berth / Channel	Depth of Berth/Channel (m Chart Datum)	Size of Berth	Start/End Berth Box	Stringer Height	Survey Date	Plan Number	Remarks
	BAY							
TBA1	Trial Bay Anchorage 1	8.9m	200m radius			27/10/2022	TRB3 001-B	
TBA2	Trial Bay Anchorage 2	15.0m	400m radius			27/10/2022	TRB3 001-B	
TBA3	Trial Bay Anchorage 3	11.2m	250m radius			27/10/2022	TRB3 001-B	

7 Batemans Bay

Code	Berth / Channel	Depth of Berth/Channel (m Chart Datum)	Size of Berth	Start/End Berth Box	Stringer Height	Survey Date	Plan Number	Remarks
	BAY							
BBA3	Batemans Bay Anchorage 3	10.9m	550m radius			3-6/02/2025	BMB 002-A	
BBA4	Batemans Bay Anchorage 4	10.9m	800m radius			3-6/02/2025	BMB 002-A	
BBA5	Batemans Bay Anchorage 5	8.8m	370m radius			3-6/02/2025	BMB 002-A	

8 Coffs Harbour

Code	Berth / Channel	Depth of Berth/Channel (m Chart Datum)	Size of Berth	Start/End Berth Box	Stringer Height	Survey Date	Plan Number	Remarks
	BAY							
CHA1	Coffs harbour Anchorage 1	5.0m	170m radius			5/08/2019	CHR 001-A	

9 Jervis Bay

Code	Berth / Channel	Depth of Berth/Channel	Size of Berth	Start/End Berth Box	Stringer Height	Survey Date	Plan Number	Remarks
	BAY							
JBA1	Jervis Bay Callala Anchorage 1	10.0m	500m radius			27/8-7/09/2020	JBHA 001-A	
JBA2	Jervis Bay Huskisson Anchorage 2	12.8m	500m radius			27/8-7/09/2020	JBHA 001-A	
JBA3	Jervis Bay Murrays Anchorage 3	15.0m	500m radius			27/8-7/09/2020	JBMA 001-A	

10 Kiama

Code	Berth / Channel	Depth of Berth/Channel	Size of Berth	Start/End Berth Box	Stringer Height	Survey Date	Plan Number	Remarks
	BAY							
KIA1	Kiama Anchorage 1	23.6m	500m radius			2-4/06/2021	Kiama1 001-A	

11 Broken Bay

Code	Berth / Channel	Depth of Berth/Channel	Size of Berth	Start/End Berth Box	Stringer Height	Survey Date	Plan Number	Remarks
	BAY							
BRB1	Broken Bay Anchorage 1	10.5m	250m radius			23/09/2021	BB3 001-A	